



UNIVERSITY OF THE PHILIPPINES

LOS BANOS
Los Banos, IV-A
VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) BAC Secretariat / Procurement Management Office

UPLB BAC SECRETARIAT
BY: *[Signature]* DATE: 12-15-25

DEC 19 2025

UPLB-RQ-12-174-25-1-100m
DEADLINE OF SUBMISSION

Suppliers Name:

Date

December 15, 2025

Fund Code:

MOP:

Contact No:

Contact Person

Small Value Procurement (SVP)

09285158308

Jaybee M. Punzalan

1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
5. Quotations exceeding the Approved Budget for Contract shall be rejected.
6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
7. Others:

Item No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATION	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION <small>Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirement.</small>	UNITED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank for BAC/Evaluators only)
1	Construction of PWD Restroom and Miscellaneous Works for UP Executive House <i>Diliman, Quezon City</i>		LOT	1.00	1,900,000.00	1,900,000.00				
	DIVISION 01 - GENERAL REQUIREMENTS									
	A. Mobilization / Demobilization									
	B. Bonds and Insurances									
	1. Performance Bonds									
	2. Surety Bonds									
	3. Contractor's All Risk Insurance (CARI) - BY OWNER									
	C. Temporary Facilities									
	1. Contractor's Office, furnitures and supplies									
	2. Warehouse / Barracks									
	3. Owner's Site Office incl furnitures only									
	D. Temporary Power and Water Supply including required deposits									
	1. Temporary Power Supply including Genset									
	2. Temporary Water Supply									

Item No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QUANTITY	QUOTED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state how they detailed technical specifications of their offer against each of the individual parameters of each requirement	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank for BAC/ Evaluators only)
	E. Equipment Support including fuel, operators and maintenance / spare parts (please enumerate only the list and quantity of equipment)					-				
	F. Materials Handling/Lifting and Safekeeping of Materials					-				
	G. Testing of materials (RMC, RSB, CHB, FDT)					-				
	H. Security Services (24 hrs)					-				
	I. Safety Protection in compliance with safety guidelines of the Owner including Signage, etc.					-				
	J. As-built plans and e-files (Progress As-built and Final As-built; Signed and Sealed)					-				
	K. Clearing, cleaning and haul-out / disposal of debris / unnecessary materials					-				
						-				
	DIVISION 03 - CONCRETE					-				
	03 11 13 Structural Cast-in Place Concrete Forming (Formworks)					-				
	Supply, fabrication, installation, stripping and /or leaving formwork with the actual measurement and must be fitted with the concrete, including provision of block-outs, chamfered edges, notching and overlaps, necessary greasing or coating with form oil, all necessary hardware, scaffolding, shoring and staging, use of plant, tools, equipment, and all necessary items to complete the works.				-	-				
	A. Footing (F1)	sq m	4.84			-				
	B. Column (C1)	sq m	17.64			-				
	C. Beam (B1, FTB1)	sq m	13.36			-				
	D. Ramp	sq m	3.99			-				
	E. Elevated Walkway	sq m	9.45			-				
	F. Slab (Restroom)	sq m	1.30			-				
	F. Slab (Pathwalk)	sq m	1.30			-				
		sqm	15.00			-				

Item No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Supplier must comply with the detailed technical specifications of the offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION BY THE BIDDING COMMITTEE FOR A COMPARISON ONLY
	03 21 11 Plain Steel Reinforcement Bars					-				
	Supply and installation of reinforcing bars, tie wires, including splices, dowels, haunches, control joints, chair bars, spacers, all necessary hardware and fixing accessories, usage of tools and equipment.					-				
	A. Footing (F1)	kgs	64.51			-				
	B. Column (C1)	kgs	264.60			-				
	C. Beam (B1, FTB1)	kgs	246.96			-				
	D. Ramp	kgs	279.30			-				
	E. Elevated Walkway	kgs	911.40			-				
	F. Slab (Restroom)	kgs	85.31			-				
	F. Slab (Pathwalk)	kgs	1,504.00			-				
	03 30 00 Cast-in-Place Concrete					-				
	Supply, delivery and placing of concrete including grouting, vibrating, hammering, tamping, consolidating, curing, hardening, wetting, sealing, brooming and scratching, protecting, sampling, and all fixing accessories, use of plant, tools and equipment to complete the works. The surface must be compacted.					-				
	A. Footing (F1) - 3000 psi	cu m	0.81			-				
	B. Column (C1) - 3000 psi	cu m	1.06			-				
	C. Beam (B1, FTB1) - 3000 psi	cu m	1.23			-				
	D. Ramp - 3000 psi	cu m	2.79			-				
	E. Elevated Walkway - 3000 psi	cu m	9.11			-				
	F. Slab (Restroom) - 3000 psi	cu m	0.85			-				
	F. Lean Concrete - 1450 psi	cu m	0.13			-				
	F. Slab (Pathwalk)	cu m	15.04			-				
	OTHERS:					-				
	75mm Thk. Gravel Bed 95% Compaction as per ASTM D1557	cu m	0.52			-				
						-				